	Hits	Search Text	DBs	Time Stamp
1	6359	calculat$4 adj3 estimat$2	US-PGPUB; USPAT	2002/06/11 07:59
2	37450	display$4 adj3 user$2	US-PGPUB; USPAT	2002/06/03 08:57
3	73051	data adj base or data$2base	US-PGPUB; USPAT	2002/06/20 14:56
4	2	hardware adj3 utilization adj3 limit$2	US-PGPUB; USPAT	2002/06/10 15:28
5	8	hardware with utilization adj3 limit$2	US-PGPUB; USPAT	2002/06/10 15:30
6	24	hardware with utilization with limit$2	US-PGPUB; USPAT	2002/06/10 15:38
7	822	hardware and utilization with limit$2	US-PGPUB; USPAT	2002/06/11 13:48
8	84	((707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls.) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.)) and (hardware and utilization with limit$2)	US-PGPUB; USPAT	2002/06/10 15:40
9	27	((707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls.) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.)) and (hardware and utilization near2 limit$2)	US-PGPUB; USPAT	2002/06/11 08:53

	Hits	Search Text	DBs	Time Stamp
10	7	calculat$4 with hardware adj3 resources with (require$2 or needed)	US-PGPUB; USPAT	2002/06/11 08:03
11	109	calculat$4 with resources with (require$2 or needed) and hardware	US-PGPUB; USPAT	2002/06/11 08:04
12	15	((707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls.) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201 ,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.)) and (calculat$4 with resources with (require$2 or needed) and hardware)	US-PGPUB; USPAT	2002/06/11 08:04
13	1512	accept$4 with user adj3 input	US-PGPUB; USPAT	2002/06/11 08:54
14	26	obtain with (data adj base or data$2base) with requirement$2	US-PGPUB; USPAT	2002/06/11 09:01
15	1	transactions adj2 second with requirement	US-PGPUB; USPAT	2002/06/20 16:54
16	65	obtain$4 with (data adj base or data$2base) with requirement$2	US-PGPUB; USPAT	2002/06/11 09:41
17	3	obtain$4 with (data adj base or data$2base) adj2 requirement$2	US-PGPUB; USPAT	2002/06/11 09:44
18	10	(obtain$4 or receiv$4 or get$4) with (data adj base or data$2base) adj2 requirement$2	US-PGPUB; USPAT	2002/06/11 09:50

	Hits	Search Text	DBs	Time Stamp
19	51	((obtain$4 or receiv$4 or get$4) with requirement$2) and ((data adj base or data$2base) adj2 requirement$2)	US-PGPUB; USPAT	2002/06/11 10:21
20	2968	network adj3 interface adj3 card$2	US-PGPUB; USPAT	2002/06/21 09:36
21	119	number with network adj3 interface adj3 card$2	US-PGPUB; USPAT	2002/06/12 10:36
22	26	((707/1-5,8-10.ccls. or 707/1-5,8-10.ccls. or 707/200-203,205.ccls.) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-226.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/26,37,46,47.ccls.)) and (number with network adj3 interface adj3 card$2)	US-PGPUB; USPAT	2002/06/12 13:39
23	6770	707/1-10.ccls.	US-PGPUB; USPAT	2002/06/20 12:19
24	4197	707/100-104.1.ccls.	US-PGPUB; USPAT	2002/06/20 12:19
25	2674	707/200-205.ccls.	US-PGPUB; USPAT	2002/06/20 12:20
26	1747	705/1,7,8.ccls.	US-PGPUB; USPAT	2002/06/20 12:23
27	7951	709/100,102,105,200,201,217,220-229.ccls.	US-PGPUB; USPAT	2002/06/20 12:23
28	769	706/45,46,55,60-62.ccls.	US-PGPUB; USPAT	2002/06/20 12:52
29	814	711/100,101.ccls.	US-PGPUB; USPAT	2002/06/20 12:53
30	980	713/1,100.ccls.	US-PGPUB; USPAT	2002/06/20 12:53
31	1773	714/1,25,26,37,46,47,100.ccls.	US-PGPUB; USPAT	2002/06/20 12:54
32	10248	707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2003/12/22 12:29

	Hits	Search Text	DBs	Time Stamp
33	13548	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.	US-PGPUB; USPAT	2004/08/18 11:01
34	3762	(data adj base or data$2base) adj management adj system$2	US-PGPUB; USPAT	2002/06/20 15:00
35	2	(obtain$4 or get$4) with ((data adj base or data$2base) adj management adj system$2) with requirement$2	US-PGPUB; USPAT	2002/06/20 15:10
36	67	(obtain$4 or get$4) and ((data adj base or data$2base) adj management adj system$2) with requirement$2	US-PGPUB; USPAT	2002/06/21 13:39
37	9	server$2 adj3 hardware adj2 requirement$2	US-PGPUB; USPAT	2002/06/20 15:55
38	206	(calculat$4 with requirement$2) and (display with requirement$2)	US-PGPUB; USPAT	2002/06/20 15:56
39	17	((705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.) or ((data adj base or data$2base) adj management adj system$2)) and ((calculat$4 with requirement$2) and (display with requirement$2))	US-PGPUB; USPAT	2002/06/20 15:57

	Hits	Search Text	DBs	Time Stamp
40	16	((707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.)) and ((calculat$4 with requirement$2) and (display with requirement$2))	US-PGPUB; USPAT	2002/12/10 11:17
41	3314	server near3 type$2	US-PGPUB; USPAT	2002/06/20 16:23
42	16	maximum with processor adj2 utilization	US-PGPUB; USPAT	2002/06/20 16:24
43	4	(server near3 type$2) and (maximum with processor adj2 utilization)	US-PGPUB; USPAT	2002/06/20 16:24
44	9316	memory adj2 size	US-PGPUB; USPAT	2002/06/20 16:57
45	178	memory adj2 size adj3 requirement$2	US-PGPUB; USPAT	2002/06/20 16:58
46	20	((707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.)) and (memory adj2 size adj3 requirement$2)	US-PGPUB; USPAT	2002/06/20 17:07
47	2	effective with CPU adj3 utilization	US-PGPUB; USPAT	2002/06/20 17:14
48	21	baseline adj3 system with transaction$2	US-PGPUB; USPAT	2002/06/20 17:18
49	96	(baseline adj3 system) and transaction$2	US-PGPUB; USPAT	2002/06/20 17:20

	Hits	Search Text	DBs	Time Stamp
50	6	((707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.)) and ((baseline adj3 system) and transaction$2)	US-PGPUB; USPAT	2002/06/21 08:27
51	10248	707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2004/08/18 11:00
52	13548	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.	US-PGPUB; USPAT	2002/06/21 08:24
53	2	transaction$2 and workload with contribution	US-PGPUB; USPAT	2005/02/09 14:55
54	40	calculat$4 and (total adj3 workload) and function	US-PGPUB; USPAT	2002/06/21 09:30
55	6	expect$4 with execution adj3 ratè	US-PGPUB; USPAT	2002/06/21 09:30
56	3064	network adj3 interface adj3 card$2	US-PGPUB; USPAT	2002/06/21 09:36
57	22	(maximum with utilization) and (network adj3 interface adj3 card$2)	US-PGPUB; USPAT	2002/06/21 09:43
58	180	lan adj3 speed	US-PGPUB; USPAT	2002/06/21 09:44

	Hits	Search Text	DBs	Time Stamp
59	40	((707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.)) and (lan adj3 speed)	US-PGPUB; USPAT	2002/06/21 10:00
60	1040	sql adj3 statement$2	US-PGPUB; USPAT	2002/06/21 10:01
61	325	sql adj3 statement$2 and insert and delete and update and select	US-PGPUB; USPAT	2002/06/21 10:02
62	1	sql adj3 statement$2 and (identical with insert) and (identical with delete) and update and select	US-PGPUB; USPAT	2002/06/21 10:05
63	9	sql adj3 statement$2 and (insert) and (delete) and update and select and (number with identical)	US-PGPUB; USPAT	2002/06/21 10:48
64	223	sql adj3 statement$2 and (insert) and (delete) and update and select and (parameter$2)	US-PGPUB; USPAT	2002/06/21 10:48
65	169	((707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.)) and (sql adj3 statement$2 and (insert) and (delete) and update and select	US-PGPUB; USPAT	2002/06/21 10:50

		and (parameter$2))		

	Hits	Search Text	DBs	Time Stamp
66	37	((707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.)) and (sql adj3 statement$2 and (insert) and (delete) and update and select and (parameter$2)) and (number adj3 record$2)	US-PGPUB; USPAT	2002/06/21 10:51
67	4	((707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.)) and (sql adj3 statement$2 and (insert) and (delete) and update and select and (parameter$2)) and (number adj3 record$2) and ((selectivity or selection) with criteria)	US-PGPUB; USPAT	2002/06/21 11:17
68	4	number with identical adj3 statement$2	US-PGPUB; USPAT	2002/06/21 11:12
69	10	number with (identical or equivalent) adj3 statement$2	US-PGPUB; USPAT	2002/06/21 11:10
70	15	number with (identical or equivalent) near3 statement$2	US-PGPUB; USPAT	2002/06/21 11:17

	Hits	Search Text	DBs	Time Stamp
71	80	(number adj2 statement$2) and ((identical or equivalent) near3 statement$2)	US-PGPUB; USPAT	2002/06/21 11:20
72	10248	707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2002/06/21 13:48
73	13548	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.	US-PGPUB; USPAT	2002/06/21 13:49
74	10248	707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2002/06/22 12:03
75	13548	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.	US-PGPUB; USPAT	2005/02/09 14:58
76	15619	707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2003/07/22 07:46
77	21508	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229,240.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.	US-PGPUB; USPAT	2003/07/22 14:21
78	609	proposed and (data$2base adj management adj system) and server$2	US-PGPUB; USPAT	2003/07/22 09:14

	Hits	Search Text	DBs	Time Stamp
79	14	proposed and (data$2base adj management adj system) and server$2 and determin$4 and (hardware adj2 requirement$2)	US-PGPUB; USPAT	2003/07/22 07:51
80	3	proposed and (data$2base adj management adj system) and server$2 and determin$4 and (hardware adj2 requirement$2) and workload	US-PGPUB; USPAT	2004/08/18 11:02
81	6	(data$2base) and server$2 and (maximum with processor with utilization) and "transactions per second"	US-PGPUB; USPAT	2004/08/18 11:01
82	15619	707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2003/07/23 07:52
83	21508	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229,240.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.	US-PGPUB; USPAT	2004/08/18 13:41
84	2	database and (base$2line with system) and "transactions per second"	US-PGPUB; USPAT	2003/07/22 15:48
85	15619	707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2003/07/23 07:52

Hits		Search Text	DBs	Time Stamp
86	21508	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229,240.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.	US-PGPUB; USPAT	2003/07/23 07:53
87	17741	707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2003/12/22 12:29
88	24137	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.	US-PGPUB; USPAT	2003/12/22 12:29
89	21519	707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2004/08/18 13:41
90	27309	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.	US-PGPUB; USPAT	2004/08/18 11:01
91	11	proposed and (data$2base adj management adj system) and server$2 and determin$4 and (hardware adj2 requirement$2) and workload	US-PGPUB; USPAT	2004/08/18 11:02
92	8	(data$2base) and server$2 and (maximum with processor with utilization) and "transactions per second"	US-PGPUB; USPAT	2004/08/19 08:46

93	299	(mass adj storage) with requirement$2	US-PGPUB; USPAT	2004/08/18 13:41

	Hits	Search Text	DBs	Time Stamp
94	21519	707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2004/08/19 08:42
95	27472	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229,240.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.	US-PGPUB; USPAT	2004/08/19 08:42
96	41	((707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.) or (705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229,240.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.)) and ((mass adj storage) with requirement$2)	US-PGPUB; USPAT	2004/08/18 13:42
97	21581	707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2005/02/09 14:58
98	27533	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229,240.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.	US-PGPUB; USPAT	2004/08/19 08:43
99	27793	702/186.ccls. or 705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229,240.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.	US-PGPUB; USPAT	2004/08/19 08:44

	Hits	Search Text	DBs	Time Stamp
100	6	(data$2base) and server$2 and "transactions per second" and (transaction with definition$2)	US-PGPUB; USPAT	2004/08/19 08:56
101	10	(data$2base) and server$2 and "transactions per second" and (transaction$2 with definition$2)	US-PGPUB; USPAT	2004/08/19 08:56
102	4	transaction$2 and workload with contribution	US-PGPUB; USPAT	2005/02/09 14:57
103	3566	transaction$2 with (definition$2 or specification$2)	US-PGPUB; USPAT	2005/02/09 15:02
104	24464	707/1-10.ccls. or 707/100-104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2005/02/09 14:58
105	30700	705/1,7,8.ccls. or 706/45,46,55,60-62.ccls. or 709/100,102,105,200,201,217,220-229.ccls. or 711/100,101.ccls. or 713/1,100.ccls. or 714/1,25,26,37,46,47,100.ccls.	US-PGPUB; USPAT	2005/02/09 14:58
106	829	(S104 or S105) and S103	US-PGPUB; USPAT	2005/02/09 14:59
107	116	(S104 or S105) and (S103 and workload$2)	US-PGPUB; USPAT	2005/02/09 15:00
108	12	(S104 or S105) and (S103 and workload$2 and contribution$2)	US-PGPUB; USPAT	2005/02/09 15:03
109	484	transaction$2 adj2 (definition$2 or specification$2)	US-PGPUB; USPAT	2005/02/09 15:02
110	1	(S104 or S105) and (S109 and workload$2 and contribution$2)	US-PGPUB; USPAT	2005/02/09 15:37
111	73	(execution adj rate$2 with second)	US-PGPUB; USPAT	2005/02/09 15:37
112	9	expected and (execution adj rate$2 with second)	US-PGPUB; USPAT	2005/02/09 15:50

	Hits	Search Text	DBs	Time Stamp
113	263	expected and (execution adj rate$2)	US-PGPUB; USPAT	2005/02/09 15:51